

2020

002171

CORPORATE ENVIRONMENTAL REPORT



1

2020 1 1 2020 12 31

4

HJ617-2017

88


0553-5311637
truchum@sina.com

241000
0553-5313377
www.ahcjxc.com




| | |
|-------|----|
| | 1 |
| | 5 |
| | 6 |
| | 6 |
| | 9 |
| | 9 |
| | 9 |
| | 10 |
| | 11 |
| | 12 |
| | 12 |
| | 12 |
| | 12 |
| | 12 |
| | 13 |
| | 13 |
| | 14 |
| | 14 |
| | 14 |
| | 14 |
| | 15 |
| | 16 |
| | 16 |
| | 16 |
| | 17 |
| | 17 |
| | 17 |
| | 19 |
| | 19 |
| | 20 |

ISO14001



2021

| | |
|-------|----|
| | 21 |
| | 22 |
| | 22 |
| | 22 |
| | 23 |
| | 24 |
| | 25 |
| | 25 |
| | 26 |
| | 26 |
| | 28 |
| | 28 |
| | 29 |
| | 29 |
| | 30 |
| | 31 |
| | 31 |
| | 32 |
| | 32 |
| | 33 |
| | 34 |
| | 34 |
| | 35 |
| | 36 |
| | 36 |
| | 37 |
| | 37 |
| | 37 |
| | 38 |



| | |
|-------|----|
| | 38 |
| | 38 |
| | 39 |
| | 39 |
| | 40 |
| | 40 |
| | 41 |
| | 41 |
| | 41 |
| | 41 |
| | 43 |





1999

2007 9

002171

13.3

112

58

6000

2000

500

500

23.45

5G

19

4

,

C919

ARJ21



,

301

19













1999









| 2019 | 4 | | |
|------|----|------|------|
| 2019 | 7 | | 2018 |
| 2019 | 7 | 2018 | |
| 2019 | 8 | 500 | 382 |
| 2019 | 8 | 12 | |
| 2019 | 8 | | 11 |
| 2019 | 9 | | |
| 2019 | 11 | | |
| 2019 | 12 | | |
| 2020 | 5 | 2019 | |
| 2020 | 6 | - | IR |
| 2020 | 11 | | |

,



A






2019

©ISO14001

2020

3

ISO14001



| 1 | | 00118E31987R2M/3600 | 620 | 2021.6.22 |
|---|--|---------------------|-----|------------|
| 2 | | USA18E46017R0M | 275 | 2021.9.4 |
| 3 | | 00220E34341R0M | 540 | 2023.12.23 |



2020





80%



1





”



1

2019

2019

2




2020

| 1 | | http://www.ahcjsc.com/about/huan-jing-bao-hu-list-0.htm |
|---|--|---|
| 2 | | http://112.27.211.30:8081/login |
| 3 | | http://114.251.10.205/#/pub-message |
| 4 | | http://sthjj.wuhu.gov.cn/ http://www.jieyang.gov.cn/jyhbj/ http://www.gdqy.gov.cn/channel/qyssthjj/ |

3



2020



CMA

2020

mg/m³

| | 46.98 | 69.33 | 74.85 | 20 | 14.25 | 15 |
|--|-------|-------|-------|-------|-------|-------|
| | 2.36 | 8.69 | 8.44 | 2.28 | 0.214 | 0.35 |
| | 0.3 | | 0.15 | | 0.06 | 0.101 |
| | 0.55 | | 0.68 | | 0.55 | 0.26 |
| | / | / | / | 0.125 | / | / |

1

COD 500

2.0

5.0

GB8978-1996

\$

mg/m³

| | | | | | |
|--|-----|------|--|--|--|
| | | | | | |
| | 1.2 | 1.13 | | | |

1

30

2

20

GB13271-2014

3

GB9078-1996

75

1#

100

2#

4

GB31574-2015

3

30



2019

2019

29

2010

2016

150

2018


22

2018

21



2020



| | | | | | |
|--|------------------------|--|------|---|----|
| | 91340200754891516N001V | | 2020 | 7 | 24 |
| | 91340200752951335H001P | | 2018 | 6 | 29 |
| | 91340225677560931C001U | | 2020 | 7 | 1 |
| | 91441800771890945R001V | | 2020 | 8 | 7 |
| | 91445200324924349T001Q | | 2020 | 8 | 30 |



340207-2019-031-L



340225-2019-07-L



340207-2020-081-L



340207-2018-021-L




441802-2018-025-L




445203-2020-0028-L

2020



2020

| | | | |
|---|---|------|------|
| 1 | 0 | | |
| 2 | | | |
| 0 | | | |
| 3 | | 100% | |
| 4 | | 100% | |
| 5 | | | 100% |





2020

306

18




2021



| | |
|---|------|
| 1 | 0 |
| 2 | 100% |
| 3 | |
| 4 | 100% |

6

2020



2020

2045.45

573.56


1008.83

463.06

2020

2

10






20%

25-30%

3

1



100%

2020



9696

9613

82



9750

3904.5 ,


3564.9 ,


696

872

7.7

2020





2020

CO₂

6.27

CO₂

CO₂ 13.82

CO₂ 20.09

OA



2020

| | | / |
|--|-------|--------|
| | 11.14 | 0.0041 |
| | 9.51 | 0.0035 |
| | 9.03 | 0.0034 |

10 mg/m³

+

99%

"

+

+

+

+

+ SNCR

"

+

+

VOCs

2020

490 929





2020



60.135




0.896

2020

190.37 m³

162 m³

85%






2020

| | | / |
|-----|------------|--------|
| | 1416542.16 | 15126 |
| COD | 98.4 | 0.0365 |
| | 5.7 | 0.0021 |

+ + + +



+ + +









6000









2020

mg/m³

| | | | | mg/m ³ | |
|----|-----|-----------|----------------|-------------------|--|
| 1- | -1# | 2020.1.14 | CX200108CJKC-3 | 1.9 | |
| 2- | -1# | | CX200108CJKC-4 | 2.1 | |
| 2- | -2# | | CX200108CJKC-6 | 2.3 | |
| 2- | -4# | | CX200108CJKC-7 | 2.9 | |
| 3- | -1# | | CX200108CJKC-8 | 6.4 | |

| | | | | | |
|----|-----|-----------|---------------|-----|--|
| | | | | 4 | |
| | | | | 168 | |
| 1- | -1# | | CW06003200-6 | 4.3 | |
| 1- | -1# | 2020.6.13 | CW06003200-12 | 2.8 | |
| 2- | -1# | | CW06003200-4 | 1.8 | |
| 2- | -2# | | CW06003200-5 | 1.5 | |
| 3- | -1# | 2020.6.12 | | | |

| | | | | | |
|-----|--|-----------|-----------------|------|--|
| 760 | | 2020.8.13 | T-20200807H02-2 | 0.94 | |
| 150 | | 2020.9.5 | T-20200904H01 | 0.79 | |
| 760 | | 2020.8.24 | AHSY-20200891 | 2.67 | |
| 630 | | 2020.9.5 | T-20200904H01 | 0.50 | |
| 230 | | 2020.8.24 | AHSY-20200893 | 2.41 | |
| 120 | | 2020.8.13 | T-20200807H02-2 | 0.66 | |
| 150 | | 2020.8.25 | AHSY-20200879 | 1.78 | |
| 1# | | 2020.8.12 | AHSY-20200894 | 3.70 | |
| 2# | | 2020.8.12 | T-20200807H02-2 | 0.59 | |
| 2# | | 2020.9.5 | T-20200904H01 | 0.55 | |
| 1# | | 2020.8.22 | AHSY-20200883 | 2.54 | |
| | | 2020.8.22 | AHSY-20200882 | 2.57 | |
| | | 2020.8.22 | AHSY-20200884 | 1.69 | |
| | | 2020.8.25 | AHSY-20200902 | 2.49 | |
| | | 2020.8.12 | T-20200807H02-2 | 0.81 | |
| | | 2020.8.12 | | 0.65 | |
| | | 2020.8.12 | | 0.83 | |
| | | 2020.8.24 | AHSY-20200892 | 2.50 | |
| | | 2020.9.5 | T-20200904H01 | 0.78 | |
| | | 2020.9.16 | CX200909CJKJ A) | 12.7 | |
| | | | CX200909CJKJ B) | 1.1 | |
| | | | | 3 | |
| | | | | 4 | |
| | | | CX200909CJKJ C) | 1 | |
| | | | | 9.7 | |
| | | 11 | | | |
| 2# | | 2020.9.15 | CX200909CJKJ D) | 1 | |
| 1# | | | CX200909CJKJ E) | 1 | |
| 2# | | | CX200909CJKJ F) | 1 | |
| 1# | | | CX200909CJKJ G) | 2.6 | |
| 3# | | 2020.9.16 | CX200909CJKJ H) | 1 | |
| | | | CX200909CJKJ J) | 1.1 | |

| | | | | | |
|-----|--|------------|----------------|------|--|
| 1# | | | CX201007CJKJ | 4.1 | |
| 3# | | | CX201008CJKJ | 1 | |
| | | 2020.10.19 | CX201010CJKJ | 1 | |
| | | | CX201011CJKJ | 1 | |
| | | | | 14.3 | |
| | | | | 211 | |
| 760 | | 2020.10.20 | CX201012CJKJ | 0.76 | |
| 150 | | | CX201013CJKJ | 0.64 | |
| 760 | | | CX201014CJKJ | 1.52 | |
| 630 | | 2020.10.22 | CX201015CJKJ | 0.81 | |
| 230 | | 2020.10.20 | CX201016CJKJ | 1.30 | |
| 120 | | | CX201017CJKJ | 0.80 | |
| 175 | | | CX201018CJKJ | 1.11 | |
| 150 | | | CX201019CJKJ | 1.25 | |
| 1# | | 2020.10.22 | CX201019CJKJ B | 1.82 | |
| 2# | | | CX201019CJKJ C | 0.72 | |
| 2# | | 2020.10.21 | CX201019CJKJ D | 0.80 | |
| 1# | | | CX201019CJKJ E | 1.48 | |
| | | | CX201019CJKJ F | 1.69 | |
| | | | CX201019CJKJ G | 1.06 | |
| | | 2020.10.19 | CX201019CJKJ H | 1.28 | |
| | | 2020.10.20 | CX201019CJKJ I | 0.89 | |
| | | | CX201019CJKJ J | 0.95 | |
| | | | CX201019CJKJ K | 0.90 | |
| | | | CX201019CJKJ L | 1.54 | |
| | | 2020.10.22 | CX201019CJKJ P | 1.29 | |
| | | | CX201019CJKJ R | 1.34 | |
| | | 2020.11.16 | CX201101CJKJ | 1 | |
| | | | CX201102CJKJ | 1 | |
| | | | | 84 | |
| | | | | 61 | |
| | | | CX201103CJKJ | 2.5 | |

| | |
|----|--|
| | |
| | |
| 2# | |
| 1# | |
| 2# | |
| 1# | |

| | | |
|--------------|----|--|
| | 4 | |
| | 37 | |
| CX201104CJKJ | 1 | |
| CX201105CJKJ | 1 | |
| CX201106CJKJ | 1 | |
| CX201107CJKJ | | |



—1# mg/L,pH

| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | |
|------|------|---|------|------|------|------|------|------|------|-------|-------|-------|--|
| pH | 7.95 | / | 8.89 | 8.24 | 7.98 | 8.07 | 7.87 | 7.8 | 8.1 | 7.38 | 8.39 | 7.9 | |
| BOD5 | 1.2 | / | 3.2 | 2.1 | 2 | 4.4 | 13.9 | 9.5 | 4.4 | 4 | 2.5 | 9.8 | |
| COD | 29.5 | / | 46.2 | 84.7 | 37.7 | 42.5 | 43.3 | 35.6 | 21 | 20 | 40.8 | 25.6 | |
| | 0.12 | / | 1.07 | 0.27 | 0.3 | 0.58 | 0.69 | 0.67 | 0.52 | 0.393 | 0.49 | 0.39 | |
| SS | 6.7 | / | 6.7 | 9.3 | 10.7 | 7.7 | 4L | 23 | 4L | 4L | 4L | 12 | |
| LAS | 0.54 | / | 0.05 | 0.27 | 0.05 | 0.05 | 0.34 | 0.13 | 0.25 | 0.207 | 0.257 | 1.86 | |
| | / | / | 0.05 | 0.38 | 0.19 | 0.05 | 0.8 | 0.14 | 0.28 | 0.19 | 0.09 | 0.486 | |
| | 0.65 | / | 0.19 | 1.2 | 0.5 | 0.86 | 0.73 | 1.39 | 0.18 | 0.62 | 0.41 | 1.66 | |
| | 0.06 | / | 0.06 | 0.06 | 0.06 | 0.22 | 0.11 | 0.74 | 0.12 | 0.14 | 0.1 | 0.23 | |
| | 0.06 | / | 0.08 | 0.11 | 0.19 | 0.25 | 0.13 | 1.17 | 0.12 | 0.16 | 0.07 | 0.86 | |

—2# mg/L,pH

| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | |
|------|------|---|------|------|------|------|------|------|------|-------|------|-------|--|
| pH | 7.95 | / | 7.32 | 7.58 | 7.8 | 7.29 | 7.75 | 7.75 | 7.98 | 7.53 | 7.45 | 7.16 | |
| BOD5 | 1.2 | / | 11.1 | 1.1 | 30.6 | 13.1 | 8.2 | 18.5 | 14.9 | 24.4 | 59.9 | 21.6 | |
| COD | 56.8 | / | 46 | 54.3 | 54.4 | 60.4 | 26 | 66.7 | 46 | 74 | 55.4 | 66.7 | |
| | 2.8 | / | 4.1 | 0.35 | 4.97 | 4.2 | 2.13 | 5.5 | 0.60 | 11.1 | 4.1 | 6.7 | |
| SS | 5.7 | / | 18.3 | 4L | 16.7 | 8 | 10.6 | 25 | 4L | 12 | 48 | 12 | |
| LAS | 0.78 | / | 0.08 | 0.19 | 1.17 | 0.05 | 0.14 | 0.09 | 0.22 | 4.06 | 5.86 | 1.06 | |
| | / | / | 0.33 | 0.09 | 0.34 | 0.06 | 0.32 | 0.04 | 0.63 | 0.05L | 0.2 | 0.051 | |
| | 0.34 | / | 1.76 | 0.42 | 0.18 | 0.13 | 0.15 | 0.13 | 0.14 | 0.18 | 0.13 | 0.182 | |
| | 0.06 | / | 0.65 | 0.06 | 0.07 | 0.58 | 0.09 | 0.74 | 0.14 | | | | |



2020

mg/m³

| 1# | | JSQW/JL2501 | 2020.10.19 | 0.19 | |
|----|-----|----------------|------------|----------------|-----------|
| | | CX200521CJGX A | 2020.5.25 | 0.0189 | |
| | | | | 80 | |
| | | | | 1.42 | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | 0.00189 | |
| | | | | 18.33 | |
| 2# | | | | (2020 0780 | 2020.7.16 |
| | | CX201001CJGX | 2020.10.22 | 0.171 | |
| | | | | 73.67 | |
| | | | | 5.69 | |
| | | | | 0.0558 | |
| | | | | 3.33 | |
| | | | | 0.00621 | |
| | | | | 0.0186 | |
| | | | | 10.6 | |
| | SO2 | | | CX200710CJGX E | 2020.7.20 |
| | | | | | |
| | | | | | |
| | | CX200909CJGX D | 2020.9.14 | 1.65 | |
| | | | | 0.0093 | |
| | SO2 | CX200312CJGX | 2020.3.19 | 9.67 | |
| | | | | 7.83 | |
| | | | | 1.13 | |
| 1# | | TWHJXZ20190178 | 2020.4.23 | 2.88 | |
| | | | | 5.6 | |

| | | | | | |
|----|--|----------------|------------|-------|--|
| 2# | | CX201005CJGX | 2020.10.22 | 12.43 | |
| | | | | | |
| | | CX200909CJGX B | 2020.9.14 | 0.86 | |
| | | | | | |

mg/L,pH



pH

7.70

7.75

7.71

CX200108CJGX-3 2020.1.12

| | | | | | |
|-----|------------|---------------|-----------------|-------|--|
| 2# | | 2020.9.15 | CX200909CJTG(A) | 1.58 | |
| 3# | | 2020.9.15 | CX200909CJTG(B) | 1.49 | |
| 4# | | 2020.12.8 | AHSY-20201625 | 4.87 | |
| 5# | | 2020.11.18 | CX201101CJTG | | |
| | | 2020.11.18 | | 4.5 | |
| | | 2020.11.18 | | 38.67 | |
| 6# | | 2020.10.22 | CX201001CJTG | 0.33 | |
| 7# | | 2020.10.22 | CX201002CJTG | 1.57 | |
| 8# | | 2020.10.22 | CX201003CJTG | 0.17 | |
| 9# | | 2020.10.22 | CX201004CJTG | 0.2 | |
| 13# | | 2020.10.22 | CX201005CJTG | 0.3 | |
| 10# | | 2020.12.27 | AHSY-20201766 | 3.93 | |
| 11# | 2020.12.27 | AHSY-20201767 | 3.07 | | |
| 12# | 2020.12.8 | AHSY-20201624 | 7.17 | | |

mg/L,pH

| mg/L,pH | | | |
|---------|-----------|----------|--|
| pH | 2020.1.13 | 7.78 | |
| COD | 2020.1.13 | 15 | |
| | 2020.1.13 | 2.81 | |
| | 2020.3.17 | 9.797 | |
| | 2020.3.17 | 0.023 | |
| | 2020.1.13 | 12 | |
| | 2020.1.13 | | |
| | 2020.3.17 | | |
| | 2020.3.17 | | |
| | 2020.3.17 | 0.001967 | |
| | 2020.3.17 | | |
| | 2020.3.17 | | |

| | | | |
|--|------------|------|--|
| | 2020.3.17 | | |
| | 2020.3.17 | | |
| | 2018.10.15 | 0.01 | |

Leq[dB A]

| | | dB(A) | | dB(A) | | | |
|--|---------------|-----------|----|------------|----|----|----|
| | AHSY-20201602 | 2020.12.3 | 52 | 2019.10.17 | 46 | 65 | 55 |
| | | | 52 | | 47 | | |
| | | | 50 | | 46 | | |
| | | | 51 | | 50 | | |



2020

mg/m³

| | 1# | 2020.10.21 | 1.4 | | | | |
|--|----|------------|------|------------|-----|--|--|
| | | | 10.7 | 0.003 | | | |
| | | | 31 | 0.024 | | | |
| | | | 6.1 | 0.003 | | | |
| | | | 8.3 | | | | |
| | | | 30.7 | 0.031 | | | |
| | | | | | | | |
| | | | | | | | |
| | | | 2# | 2020.10.21 | 0.2 | | |
| | | | | | 0.3 | | |

mg/L,pH

| PH | 2020.11.18 | | |
|----|------------|--|--|

| | | | |
|-----|--|-------|--|
| | | 0.28 | |
| | | 8.33 | |
| | | 32.67 | |
| | | 0.44 | |
| | | 0.1 | |
| LAS | | 0.22 | |
| | | | |
| COD | | | |
| | | | |

Leq[dB A]

| | | dB(A) | | dB(A) | | | |
|--|---------------|-----------|----|------------|----|----|----|
| | | | | | | | |
| | AHSY-20201614 | 2020.12.7 | 54 | 2019.10.17 | 49 | 65 | 55 |
| | | | 54 | | 48 | | |
| | | | 54 | | 50 | | |
| | | | 55 | | 49 | | |



2020

mg/m³

| | | 2020.9.10 | VC200669 | | |
|--|--|-----------|----------|--|-------|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | 35 |
| | | | | | |
| | | | | | 3 |
| | | | | | 0.046 |

| mg/L,pH | | | | |
|---------|--|--|-------|--|
| pH | | | 7.64 | |
| | | | 2 | |
| | | | | |
| COD | | | 26 | |
| | | | 0.262 | |

VC19-0183

2019.8.5



mg/L,pH

| pH | 2019 091420 | 2020.10.8 | 7.36 | |
|-----|----------------|-----------|-------|--|
| | | | 1 | |
| | | | 15 | |
| COD | | | 20 | |
| | | | 0.11 | |
| | | | | |
| | | | 0.16 | |
| | | | 0.016 | |
| | | | 0.495 | |
| | | | | |
| | | | | |
| | | | 0.013 | |

Leq[dB A]

| | | dB(A) | | dB(A) | | | |
|--|----------------|------------|------|------------|------|----|----|
| | 2020 121101 | 2020.12.16 | 67.5 | 2019.10.17 | 53.6 | 70 | 55 |
| | | | 63.2 | | 51.1 | | |
| | | | 60.1 | | 50.7 | | |
| | | | 61.4 | | 48.4 | 65 | |